

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)	Min/Max (mph)		
5/30/2015	0.00314	0.00397	0.00601	0.00277	0.004	0.003	0.006	0.008	0.00	0.00	0.01	0.00	0.01	1.0/6.5	North/Northeast	5/30/2015
5/24/2015	0.00303	0.00267	0.00353	0.00131					Design Value is below the 0.15 µg/m3 standard					1.6/6.6	Variable	5/24/2015
5/18/2015	0.00476	0.00418	0.00821	0.00621										1.4/6.3	Variable	5/18/2015
5/12/2015	0.00228	0.00261	0.01056	0.00176										2.7/6.8	Northeast/east	5/12/2015
5/6/2015	0.00462	0.00293	0.00309	0.02656										5.5/6.1	Southeast	5/6/2015
4/30/2015	0.00388	0.00532	0.00379	0.00319	0.003	0.003	0.004	0.003	0.00	0.00	0.01	0.00	0.01	0.5/3.6	Variable	4/30/2015
4/24/2015	0.00169	0.00184	0.00406	0.00188										1.2/6.7	Variable	4/24/2015
4/18/2015	0.00255	0.00279	0.00417	MM										0.4/5.4	Variable	4/18/2015
4/12/2015	0.00302	0.00279	MM	0.00318										3.5/6.5	South-Southeast	4/12/2015
4/6/2015	0.00521	0.00333	0.00511	0.00203										2.6/6.8	South-Southeast	4/6/2015
3/31/2015	0.00738	0.00547	0.00525	0.00292	0.005	0.004	0.007	0.003	0.00	0.00	0.01	0.00	0.01	4.5/6.9	South-southwest	3/31/2015
3/25/2015	0.00477	0.00351	0.01198	0.00231										1.0/6.5	South-Southeast	3/25/2015
3/19/2015	0.00206	0.00276	0.00538	0.00239										3.5/7.2	East-northeast	3/19/2015
3/13/2015	0.00206	0.00361	0.00324	0.0019										2.3/6.6	North-northwest	3/13/2015
3/7/2015	0.00679	0.00402	0.00483	0.00361										1.8/7.3	Variable	3/7/2015
3/1/2015	0.00433	0.00627	0.00908	0.00731										2.2/7.4	North	3/1/2015
2/23/2015	0.00326	0.00372	0.00451	0.00319	0.003	0.004	0.005	0.004	0.00	0.00	0.00	0.00	0.00	5/10.8	North	2/23/2015
2/17/2015	0.00275	0.00222	0.00328	0.00234										0.7/7.1	North-northwest	2/17/2015
2/11/2015	0.00352	0.00492	0.00909	0.0039										4.7/10.4	North-northeast	2/11/2015
2/5/2015	0.00413	0.00336	0.00217	0.00756										0.5/11.0	North	2/5/2015
1/30/2015	0.00188	0.002	0.00408	0.00224	0.003	0.003	0.004	0.002	0.00	0.00	0.00	0.00	0.00	1.5/7.5	North-northeast	1/30/2015
1/24/2015	0.00221	0.00125	0.00256	0.0013										1.2/5.9	Variable	1/24/2015
1/18/2015	0.00421	0.00376	0.00462	0.00248										0.3/11.8	Variable	1/18/2015
1/12/2015	0.00254	0.00241	MM	0.00227										1.5/10.0	North	1/12/2015
1/6/2015	0.00362	0.00383	0.00404	0.0033										0.9/12.1	Variable	1/6/2015
12/31/2014	0.00405	0.00534	0.00559	0.00363	0.006	0.004	0.005	0.004	0.01	0.01	0.01	0.01	0.01	3.8/8.3	North	12/31/2014
12/25/2014	0.00196	0.00497	0.00728	0.00237										4.7/16.5	South-Southeast	12/25/2014
12/19/2014	0.00294	0.00349	0.00376	0.00276										1.9/6.0	North	12/19/2014
12/13/2014	0.00262	0.00311	0.00732	0.0025										4.5/9.3	South-Southeast	12/13/2014

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
12/7/2014	0.00328	0.00299	0.0035	0.00267										MM	MM	12/7/2014
12/1/2014	0.02232	0.00455	0.00439	0.01056										2.0/6.0	Northeast	12/1/2014
11/25/2014	0.00479	0.0041	0.00416	0.00349	0.006	0.005	0.006	0.005	0.01	0.00	0.01	0.01	0.01	.5/6.3	Variable	11/25/2014
11/19/2014	0.01007	0.01198	0.01052	0.00798										2.0/10.8	South	11/19/2014
11/13/2014	MM	0.00305	0.00357	0.00284										1.5/10.1	Northwest	11/13/2014
11/7/2014	0.00565	0.00337	0.00458	0.00556										0.5/8.0	Variable	11/7/2014
11/1/2014	0.00288	0.00259	0.00477	0.00347										2.1/7.3	Variable	11/1/2014
10/26/2014	0.00796	0.00799	0.00825	0.00365	0.007	0.006	0.008	0.008	0.00	0.00	0.01	0.00	0.01	3.1/11.8	South-Southwest	10/26/2014
10/20/2014	0.01103	0.00798	0.0136	0.00469										1.0/5.4	Variable	10/20/2014
10/14/2014	0.0033	0.00209	0.00371	MM										0.2/10.5	Southwest	10/14/2014
10/8/2014	0.00491	0.00298	0.00386	0.02162										5.2/8.5	South-Southeast	10/8/2014
10/2/2014	0.0088	0.01087	0.01086	0.00301										1.5/12.3	Variable	10/2/2014
9/26/2014	0.00315	0.00251	0.00332	0.00567	0.003	0.003	0.004	0.003	0.00	0.00	0.01	0.00	0.01	1.1/4.4	Variable	9/26/2014
9/20/2014	0.00173	0.00184	0.00304	0.00144										2.8/7.1	Southeast	9/20/2014
9/14/2014	0.00239	0.00278	0.00537	0.00192										0.3/4.2	Variable	9/14/2014
9/8/2014	0.00534	0.00345	0.00438	0.0021										2.1/5.5	Variable	9/8/2014
9/2/2014	0.0029	0.00221	0.00487	0.00412										5.3/10.3	South-Southeast	9/2/2014
8/27/2014	0.00318	0.00276	0.00429	0.0026	0.003	0.003	0.005	0.003	0.01	0.00	0.01	0.00	0.01	2.3/6.5	Southeast	8/27/2014
8/21/2014	0.00408	0.00462	0.00707	MM										4.8/9.6	South	8/21/2014
8/15/2014	0.00469	0.00305	0.00673	0.00681										4.0/7.1	South-Southeast	8/15/2014
8/9/2014	0.00198	0.00187	0.00308	0.00152										0.4/8.1	Variable	8/9/2014
8/3/2014	0.00299	0.00503	0.00412	0.00257										0.5/5.4	North-northeast	8/3/2014
7/28/2014	0.01073	0.00425	0.01271	0.00526	0.005	0.003	0.008	0.003	0.01	0.01	0.01	0.00	0.01	0.3/9.8	Variable	7/28/2014
7/22/2014	0.00344	0.00237	0.00509	0.00238										1.9/5.7	Variable	7/22/2014
7/16/2014	0.00418	0.00209	0.01075	0.0022										1.9/7.9	Variable	7/16/2014
7/10/2014	0.00419	0.00443	0.00517	0.00317										3.8/8.7	Variable	7/10/2014
7/4/2014	0.00421	0.00398	0.00546	0.00345										1.6/6.5	Southeast	7/4/2014
6/28/2014	MM	0.00392	0.00698	0.00211	0.010	0.007	0.009	0.004	0.01	0.01	0.01	0.00	0.01	4.6/11.1	South-Southeast	6/28/2014
6/22/2014	0.00411	0.00492	0.00551	0.00285										2.6/8.0	Variable	6/22/2014

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed (Min/Max (mph))	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
6/16/2014	MM	0.01753	0.01029	0.00292										6.5/13.0	South	6/16/2014
6/10/2014	0.0186	0.00316	0.00407	0.00314										0.2/7.6	Northwest-north	6/10/2014
6/4/2014	0.00617	0.00606	0.01641	0.00929										6.1/10.0	South	6/4/2014
5/29/2014	0.00245	0.00229	0.00551	0.00161	0.005	0.007	0.017	0.003	0.01	0.02	0.02	0.01	0.02	1.6/6.6	North-northeast	5/29/2014
5/23/2014	0.00565	0.00766	0.00713	0.0026										2.2/8.4	South-Southeast	5/23/2014
5/17/2014	0.0052	0.00539	0.01515	0.00392										0.9/10.1	Variable	5/17/2014
5/11/2014	0.00297	0.00542	0.01997	0.00182										8.8/13.0	Southeast	5/11/2014
5/5/2014	0.00948	0.01267	0.03557	0.00442										7.7/11.7	South	5/5/2014
4/29/2014	0.0988	0.00399	0.01228	0.0103	0.024	0.004	0.013	0.005	0.01	0.02	0.02	0.01	0.02	0.6/11.1	North-northeast	4/29/2014
4/23/2014	0.00686	0.00388	0.01923	0.00382										2.8/8.4	South-Southeast	4/23/2014
4/17/2014	0.00393	0.00362	0.00373	0.00308										1.2/6.2	Variable	4/17/2014
4/11/2014	0.00667	0.00527	0.0236	0.00287										5.1/9.7	South	4/11/2014
4/5/2014	0.00319	0.00453	0.00426	0.00286										3.1/9.0	Northeast-east	4/5/2014
3/30/2014	0.00457	0.01055	0.01893	0.0039	0.012	0.035	0.018	0.008	0.01	0.02	0.02	0.01	0.02	3.1/9.6	South-Southeast	3/30/2014
3/24/2014	0.00429	0.00723	0.01986	0.00323										0.6/6.2	Variable	3/24/2014
3/18/2014	0.01928	0.147	0.03721	0.00833										3.9/15.1	South-Southeast	3/18/2014
3/12/2014	0.0244	0.00351	0.00594	0.01943										1.8/15.2	North	3/12/2014
3/6/2014	0.00782	0.00521	0.0086	0.00477										2.3/9.3	North	3/6/2014
2/28/2014	MM	0.00507	0.06283	0.0052	0.005	0.007	0.022	0.004	0.01	0.01	0.02	0.01	0.02	4.6/12.7	South	2/28/2014
2/22/2014	0.00877	0.01472	0.02622	0.00511										1.6/11.4	South	2/22/2014
2/16/2014	0.00389	0.0056	0.01277	0.00369										1.8/9.1	East-southeast	2/16/2014
2/10/2014	0.0027	0.00373	0.00512	0.00298										7.2/10.5	North	2/10/2014
2/4/2014	0.00431	0.00349	0.00394	0.00216										2.0/9.2	Variable	2/4/2014
1/29/2014	0.00963	0.00765	0.05795	0.00402	0.009	0.005	0.016	0.009	0.01	0.01	0.02	0.01	0.02	0.6/7.5	Variable	1/29/2014
1/23/2014	0.00412	0.00508	0.00748	0.00302										11.4/15.8	North	1/23/2014
1/17/2014	0.00688	0.00469	0.00674	0.008										1.0/11.9	North	1/17/2014
1/11/2014	0.00533	0.00437	0.00534	0.00393										1.0/9.4	Variable	1/11/2014
1/5/2014	0.02135	0.00432	0.00462	0.0255										6.6/15.5	Northwest	1/5/2014
12/30/2013	0.00674	0.00849	0.0088	0.01464	0.010	0.009	0.013	0.007	0.01	0.01	0.03	0.00	0.03	3.2/9.2	Northwest	12/30/2013

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
12/24/2013	0.00403	0.00331	0.00764	0.00313										2.1/6.6	Southeast	12/24/2013
12/18/2013	0.02089	0.02418	0.03869	0.00665										1.4/9.0	Variable	12/18/2013
12/12/2013	0.01202	0.00559	0.00564	0.00827										0.7/6.2	North	12/12/2013
12/6/2013	0.00438	0.00503	0.00617	0.00383										6.9/14.3	North	12/6/2013
11/30/2013	0.00502	0.00742	0.00612	0.00418	0.003	0.005	0.026	0.003	0.01	0.00	0.03	0.00	0.03	0.9/9.6	South	11/30/2013
11/24/2013	0.00234	0.00388	0.00433	0.00245										3.5/10.4	North-northeast	11/24/2013
11/18/2013	0.00264	0.00504	0.09211	0.00302										3.9/8.5	North-northeast	11/18/2013
11/12/2013	0.00422	0.00382	0.00707	0.00601										3.0/14.5	North	11/12/2013
11/6/2013	0.00382	0.0027	0.00277	0.00218										1.2/11.2	North-northwest	11/6/2013
10/31/2013	0.01154	0.00345	0.00483	0.00181	0.007	0.004	0.042	0.004	0.01	0.01	0.04	0.01	0.04	1.0/12.3	Variable	10/31/2013
10/25/2013	0.00551	0.00526	0.17332	0.00542										2.1/7.1	Northeast	10/25/2013
10/19/2013	0.00617	0.00411	0.00641	0.0037										1.0/7.4	North-northwest	10/19/2013
10/13/2013	PF	0.0022	0.03423	0.00233										1.4/6.8	East	10/13/2013
10/7/2013	0.00425	0.00291	0.02864	0.00428										1.1/5.2	North	10/7/2013
10/1/2013	0.00768	0.00387	0.00604	0.00412										1.8/5.2	Northeast	10/1/2013
9/25/2013	0.00331	0.00504	0.02685	0.00354	0.005	0.005	0.026	0.004	0.02	0.01	0.04	0.01	0.04	1.0/5.2	Variable	9/25/2013
9/19/2013	0.00722	0.00706	0.01462	0.00327										1.7/6.5	Variable	9/19/2013
9/13/2013	0.00367	0.00293	0.06246	0.0025										1.3/7.5	Northeast	9/13/2013
9/7/2013	0.00756	0.00692	0.01357	0.004										2.0/6.6	Southeast	9/7/2013
9/1/2013	0.00561	0.00394	0.01033	0.00538										0.4/6.5	South	9/1/2013
8/26/2013	0.00421	0.00256	0.05417	0.0022	0.028	0.013	0.049	0.014	0.02	0.01	0.05	0.01	0.05	2.1/6.6	Southeast	8/26/2013
8/20/2013	0.00694	0.00682	0.0204	0.00483										1.5/5.5	South	8/20/2013
8/14/2013	0.00498	0.00316	0.0334	MM										3.3/7.3	Northeast	8/14/2013
8/8/2013	0.06512	0.02878	0.0583	0.0446										1.5/7.7	Southwest	8/8/2013
8/2/2013	0.05698	0.02549	0.07974	0.00279										3.0/8.3	South	8/2/2013
7/27/2013	0.00417	0.00351	0.03727	0.00201	0.021	0.016	0.035	0.003	0.02	0.01	0.05	0.03	0.05	1.9/7.5	Northeast	7/27/2013
7/21/2013	0.01819	0.01552	0.03694	0.00161										3.6/8.4	Southwest	7/21/2013
7/15/2013	0.00346	0.00306	0.00831	0.00202										0.9/5.5	Variable	7/15/2013
7/9/2013	0.07252	0.05513	0.08251	0.00467										2.7/9.0	Southwest	7/9/2013

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed (Min/Max (mph))	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
7/3/2013	0.00558	0.00484	0.01121	0.00322										0.7/3.5	Variable	7/3/2013
6/27/2013	0.03874	0.0222	0.08192	0.00451	0.021	0.014	0.058	0.011	0.02	0.01	0.07	0.03	0.07	2.5/8.9	Southwest	6/27/2013
6/21/2013	0.01442	0.02167	0.07184	0.0051										4.6/9.9	South	6/21/2013
6/15/2013	0.0227	0.01242	0.05744	0.00613										0.6/6.7	Variable	6/15/2013
6/9/2013	0.01692	0.0038	0.03938	0.0295										0.4/6.7	Variable	6/9/2013
6/3/2013	0.01241	0.00909	0.0375	0.01049										2.8/7.1	Southeast	6/3/2013
5/28/2013	0.00727	0.01586	0.116	0.00366	0.027	0.012	0.057	0.065	0.02	0.01	0.06	0.07	0.07	6.3/13.2	Southeast	5/28/2013
5/22/2013	0.00585	0.00878	0.03523	0.00585										0.3/4.9	Variable	5/22/2013
5/16/2013	0.02572	0.02802	0.115	0.00339										2.5/10.8	Southeast	5/16/2013
5/10/2013	0.00613	0.00385	0.00995	0.00761										2.3/6.8	North	5/10/2013
5/4/2013	0.08798	0.00454	0.00637	0.30651										1.8/12.4	North	5/4/2013
4/28/2013	0.00418	0.00529	0.01578	0.00388	0.011	0.012	0.107	0.023	0.03	0.01	0.05	0.06	0.06	1.3/4.7	Variable	4/28/2013
4/22/2013	0.02336	0.01771	0.17773	0.00613										4.4/8.8	Southeast	4/22/2013
4/16/2013	0.01646	0.03065	0.32702	0.00616										6.3/11.1	Southeast	4/16/2013
4/10/2013	0.00558	0.00376	0.01155	0.0794										4.0/13.9	Northwest	4/10/2013
4/4/2013	0.00342	0.00373	0.00367	0.01974										1.3/10.1	Northwest	4/4/2013
3/29/2013	0.0215	0.04329	0.08091	0.00636	0.024	0.015	0.027	0.121	0.05	0.02	0.04	0.05	0.05	5.5/11.4	Southeast	3/29/2013
3/23/2013	0.00165	0.00075	0.00563	0.00574										2.0/11.0	Northeast	3/23/2013
3/17/2013	0.00934	0.01638	0.01819	0.00579										2.6/6.7	Variable	3/17/2013
3/11/2013	0.00461	0.00238	0.01574	0.39508										0.8/6.9	North	3/11/2013
3/5/2013	0.08301	0.0135	0.01641	0.19071										0.7/19.2	Northwest	3/5/2013
2/27/2013	0.19566	0.00347	0.00664	0.147	0.046	0.006	0.011	0.033	0.04	0.01	0.04	0.02	0.04	4.2/9.4	Northwest	2/27/2013
2/21/2013	0.01169	0.00281	0.00713	0.00476										1.4/15.5	Variable	2/21/2013
2/15/2013	0.00315	0.00482	0.00773	0.00601										0.6/10.4	North	2/15/2013
2/9/2013	0.00714	0.00666	0.01853	0.00429										6.0/10.7	East	2/9/2013
2/3/2013	0.00992	0.01135	0.01681	0.00364										0.3/6.7	Variable	2/3/2013
1/28/2013	0.0145	0.06112	0.25491	0.00421	0.069	0.024	0.072	0.008	0.05	0.02	0.08	0.03	0.08	5.8/13.7	South	1/28/2013
1/22/2013	0.04124	0.01391	0.04694	0.00863										1.7/6.7	Variable	1/22/2013
1/16/2013	0.0419	0.00723	0.01176	0.00677										0.3/4.0	Variable	1/16/2013

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
1/10/2013	0.19237	0.03102	0.01855	0.0028										4.0/12.3	Variable	1/10/2013
1/4/2013	0.05488	0.00896	0.02714	0.01656										0.2/4.2	Variable	1/4/2013
12/29/2012	0.01003	0.00461	0.00456	0.0506	0.019	0.007	0.027	0.029	0.07	0.04	0.20	0.05	0.20	0.3/5.4	Northeast	12/29/2012
12/23/2012	0.00861	0.005	0.00747	0.00446										2.0/9.0	Variable	12/23/2012
12/17/2012	0.03353	0.00771	0.01438	0.05229										0.1/5.3	Variable	12/17/2012
12/11/2012	0.02953	0.00954	0.06145	0.01563										1.5/5.9	Variable	12/11/2012
12/5/2012	0.01426	0.00604	0.04617	0.02176										0.7/6.1	North-northeast	12/5/2012
11/29/2012	0.063	0.03285	0.19214	0.00872	0.075	0.034	0.142	0.039	0.09	0.06	0.26	0.05	0.26	3.6/9.4	Southeast	11/29/2012
11/23/2012	0.0091	0.0141	0.02738	0.00495										0.7/12.9	North	11/23/2012
11/17/2012	0.02009	0.01018	0.1167	0.00991										1.3/5.4	East-southeast	11/17/2012
11/11/2012	0.0582	0.1021	0.35958	0.0341										3.5/13.1	Variable	11/11/2012
11/5/2012	0.22449	0.01173	0.01644	0.13933										0.5/10.0	Variable	11/5/2012
10/30/2012	0.19973	0.19101	0.14143	0.01043	0.117	0.084	0.418	0.094	0.12	0.08	0.31	0.05	0.31	0.5/6.0	Variable	10/30/2012
10/24/2012	0.1359	0.06934	1.39601	0.02048										5.4/11.5	Southeast	10/24/2012
10/18/2012	0.04817	0.01637	0.04125	0.42313										0.8/7.1	North-northwest	10/18/2012
10/12/2012	0.19787	0.13667	0.50101	0.00722										4.8/9.1	Southeast	10/12/2012
10/6/2012	0.00543	0.00764	0.00799	0.00782										6.1/8.5	Northeast	10/6/2012
9/30/2012	0.00522	0.01063	0.01971	0.02205	0.070	0.053	0.215	0.031	0.11	0.07	0.22	0.03	0.22	0.4/9.8	North-northeast	9/30/2012
9/24/2012	0.17239	0.20846	0.66346	MM										3.3/10.8	South	9/24/2012
9/18/2012	0.00429	0.00239	0.03238	0.02132										2.1/8.8	North-northeast	9/18/2012
9/12/2012	0.07239	0.0073	0.2608	0.00685										2.3/6.9	Southeast	9/12/2012
9/6/2012	0.09607	0.03738	0.09689	0.07552										1.1/4.3	Variable	9/6/2012
8/31/2012	0.46245	0.01251	0.07275	0.0449	0.164	0.088	0.305	0.039	0.11	0.06	0.20	0.02	0.20	0.7/6.7	Variable	8/31/2012
8/25/2012	0.04068	0.0157	0.83819	0.0039										6.6/10.8	Southeast	8/25/2012
8/19/2012	0.03184	MM	0.00617	0.1222										0.6/6.8	Variable	8/19/2012
8/13/2012	MM	0.03736	0.0535	0.0404										1.5/8.4	Variable	8/13/2012
8/7/2012	0.11959	0.1109	0.30004	0.02007										1.1/5.2	Variable	8/7/2012
8/1/2012	MM	0.26293	0.55865	0.00522										4.6/8.8	South	8/1/2012
7/26/2012	0.1976	0.18549	0.17837	0.03845	0.105	0.067	0.129	0.011	0.06	0.04	0.15	0.01	0.15	1.6/9.3	Variable	7/26/2012

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed (Min/Max (mph))	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
7/20/2012	0.16252	0.08118	0.05144	0.00367										0.6/11.2	Southwest	7/20/2012
7/14/2012	0.00923	0.00661	0.02613	0.00351										0.9/11.5	Variable	7/14/2012
7/8/2012	0.02111	0.00577	0.04674	0.00434										0.5/8.3	East-southeast	7/8/2012
7/2/2012	0.13274	0.05539	0.34375	0.0042										4.7/8.9	South	7/2/2012
6/26/2012	0.01676	0.03779	0.03571	0.03977	0.048	0.016	0.173	0.012	0.04	0.04	0.18	0.02	0.18	0.5/6.8	Variable	6/26/2012
6/20/2012	0.08162	0.0074	0.4401	0.0044										5.4/10.0	Southeast	6/20/2012
6/14/2012	0.08263	0.0127	0.20537	0.0031										4.1/8.9	Southeast	6/14/2012
6/8/2012	0.00935	0.00464	0.01258	0.00668										1.4/6.7	Northeast-east	6/8/2012
6/2/2012	0.04919	PF	PF	0.00418										No data	No data	6/2/2012
5/27/2012	0.02685	0.03183	0.23672	0.00343	0.032	0.030	0.161	0.013	0.06	0.05	0.20	0.01	0.20	4.4/11.1	Southeast	5/27/2012
5/21/2012	0.01326	0.00556	0.01404	0.02315										1.2/6.0	North-northeast	5/21/2012
5/15/2012	0.00847	0.00599	0.01407	0.02054										0.4/6.1	Northeast-east	5/15/2012
5/9/2012	0.00625	0.01087	0.04148	0.01321										2.0/7.5	Northeast	5/9/2012
5/3/2012	0.10651	0.09622	0.49857	0.0037										4.4/10.2	South-Southeast	5/3/2012
4/27/2012	0.07161	0.17022	0.62686	0.00684	0.048	0.063	0.199	0.024	0.07	0.06	0.22	0.02	0.22	5.8/15.0	Southeast	4/27/2012
4/21/2012	0.00719	0.0031	0.00508	0.07879										1.1/7.0	North	4/21/2012
4/15/2012	0.08641	0.12689	0.32381	0.01206										2.3/14.5	South	4/15/2012
4/9/2012	0.06355	0.01038	0.02676	0.00803										1.8/7.4	East-southeast	4/9/2012
4/3/2012	0.00997	0.00406	0.01428	0.01457										4.1/10.4	Variable	4/3/2012
3/28/2012	0.0546	0.03969	0.41533	0.00608	0.106	0.050	0.252	0.008	0.07	0.06	0.19	0.02	0.19	2.9/6.6	South-Southeast	3/28/2012
3/22/2012	0.04496	0.03145	0.20995	0.01727										1.1/11.1	Variable	3/22/2012
3/16/2012	0.0421	0.09089	0.50504	0.00371										6.6/13.0	Southeast	3/16/2012
3/10/2012	0.00644	0.00688	0.03224	0.00597										1.8/8.9	East-northeast	3/10/2012
3/4/2012	0.3808	0.07952	0.09534	0.00482										0.5/9.8	Variable	3/4/2012
2/27/2012	0.02905	0.00586	0.07581	0.00773	0.060	0.055	0.195	0.018	0.05	0.05	0.13	0.03	0.13	2.9/9.9	East	2/27/2012
2/21/2012	0.11956	0.2025	0.33965	0.0133										0.7/13.0	Variable	2/21/2012
2/15/2012	0.08357	0.03318	0.05937	0.05089										0.9/9.7	Variable	2/15/2012
2/9/2012	0.03742	0.00806	0.23495	0.00935										2.3/6.9	East	2/9/2012
2/3/2012	0.03101	0.02539	0.26569	0.00937										4.7/10.6	Southeast	2/3/2012

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
1/28/2012	0.00269	0.00432	0.02767	0.00477	0.055	0.073	0.112	0.028	0.05	0.07	0.13	0.05	0.13	1.2/8.7	North-northeast	1/28/2012
1/22/2012	0.18306	0.08667	0.09519	0.02967										6.8/15.1	Variable	1/22/2012
1/16/2012	0.01781	0.21904	0.20621	0.0073										9.3/14.9	South	1/16/2012
1/10/2012	0.00537	0.0054	0.00526	0.02392										1.4/9.8	North-northwest	1/10/2012
1/4/2012	0.06804	0.04932	0.22518	0.07455										0.9/8.1	Variable	1/4/2012
12/29/2011	0.10668	0.09857	0.30241	0.06529	0.033	0.025	0.086	0.040	0.06	0.06	0.14	0.08	0.14	0.3/8.4	South-Southeast	12/29/2011
12/23/2011	0.00203	0.00296	0.00286	0.01374										2.6/11.7	North	12/23/2011
12/17/2011	0.04407	0.00934	0.1099	0.10232										No data	No data	12/17/2011
12/11/2011	0.00804	0.00901	0.01127	0.00445										No data	No data	12/11/2011
12/5/2011	0.0031	0.00318	0.00452	0.01613										No data	No data	12/5/2011
11/29/2011	0.01939	0.00365	0.00395	0.19939	0.060	0.114	0.205	0.083	0.07	0.07	0.16	0.07	0.16	0.3/10.6	North	11/29/2011
11/23/2011	0.04056	0.02483	0.04905	0.10992										0.2/4.3	Variable	11/23/2011
11/17/2011	0.0253	0.00822	0.02708	0.09094	Collocated monitor installed at Eubanks									1.1/6.1	Variable	11/17/2011
11/11/2011	0.15586	0.52694	0.8271	0.00548										4.2/11.9	South	11/11/2011
11/5/2011	MM	0.0054	0.11847	0.00822										5.5/11.3	Southeast	11/5/2011
10/30/2011	MM	0.06483	0.15467	0.04187	0.093	0.044	0.142	0.120	0.13	0.10	0.20	0.05	0.20	0.1/10.4	Variable	10/30/2011
10/24/2011	PF	0.04514	0.04274	0.01819										0.4/7.8	Variable	10/24/2011
10/18/2011	0.01468	0.00723	0.00992	0.47546										5.5/15.4	Northwest	10/18/2011
10/12/2011	0.17108	0.08773	0.08223	0.05967										1.1/4.5	Southwest	10/12/2011
10/6/2011	MM	0.01302	0.42232	0.00709										4.9/10.5	Southeast	10/6/2011
9/30/2011	0.01006	0.01026	0.01556	0.014	0.070	0.060	0.137	0.020	0.16	0.14	0.28	0.01	0.28	3.2/11.0	Northeast	9/30/2011
9/24/2011	0.07719	0.11296	0.30477	0.00736										1.4/11.5	South	9/24/2011
9/18/2011	0.10046	0.12108	0.20081	PF										0.5/11.3	Variable	9/18/2011
9/12/2011	0.13669	0.0414	0.13449	0.01026										1.9/6.2	Variable	9/12/2011
9/6/2011	0.02534	0.01232	0.02847	0.04951										1.6/8.0	North-northeast	9/6/2011
8/31/2011	MM	0.19992	0.526	0.01183	0.232	0.182	0.333	0.007	0.19	0.19	0.44	0.01	0.44	3.1/10.8	South-Southeast	8/31/2011
8/25/2011	MM	0.18076	0.19744	0.00687										1.2/6.8	Variable	8/25/2011
8/19/2011	0.32963	0.28482	MM	MM										3.4/8.3	South-Southeast	8/19/2011
8/13/2011	PF	0.03385	PF	PF										0.2/5.6	Variable	8/13/2011

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
3/15/2010	0.0495	0.0051	0.248													
3/9/2010	1.7	0.174	0.486													
3/3/2010	0.552	0.0298	0.249													
2/25/2010	0.358	0.0169	0.723		0.268	0.048	0.602		0.15	0.06	0.48		0.15			
2/19/2010	0.238	0.106	1.41													
2/13/2010	0.083	0.0436	0.578													
2/7/2010	0.0136	0.0049	0.025													
2/1/2010	0.649	0.0677	0.276													
1/26/2010	0.0517	0.0588	0.328		0.134	0.079	0.342		0.13	0.09	0.44		0.13			
1/20/2010	0.428	0.244	0.522													
1/14/2010	0.0749	ID	0.725													
1/8/2010	0.0401	0.0046	0.0384													
1/2/2010	0.0759	0.0101	0.0952													
12/27/2009	0.062	0.007	0.121		0.055	0.052	0.487		0.10	0.07	0.38		0.10			
12/21/2009	0.172	0.234	2.16													
12/15/2009	0.016	0.007	0.055													
12/9/2009	0.015	0.006	0.014													
12/3/2009	0.01	0.004	0.083													
11/27/2009	0.615	0.465	0.011		0.198	0.153	0.480		0.12	0.09	0.27		0.12			
11/21/2009	0.045	0.1	0.736													
11/15/2009	0.08	0.146	1.06													
11/9/2009	0.082	0.017	MF													
11/3/2009	0.168	0.035	0.113													
10/28/2009	0.093	0.007	0.197		0.039	0.007	0.185		0.12	0.07	0.20		0.12			
10/22/2009	0.018	0.006	0.114													
10/16/2009	0.043	0.008	0.405													
10/10/2009	0.008	0.006	0.07													
10/4/2009	0.035	0.008	0.138													
9/28/2009	0.079	0.497	0.059		0.116	0.125	0.138		0.25	0.09	0.27		0.25			

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
12/11/2004	0.04	0.022	0.262													
12/5/2004	0.053	0.252	0.236													
11/29/2004	ID	0.015	0.159		0.228	0.032	0.135									
11/23/2004	0.076	0.025	0.075													
11/17/2004	0.057	0.061	0.116													
11/11/2004	0.032	0.007	0.038													
11/5/2004	0.748	0.053	0.289													
10/30/2004	0.156	0.126	0.229		0.125	0.150	0.531									
10/24/2004	0.084	0.098	0.508													
10/18/2004	0.157	0.25	1.25													
10/12/2004	0.068	0.267	0.437													
10/6/2004	0.159	0.008	0.232													
9/30/2004	0.145	0.015	0.835		0.119	0.010	0.266		0.24	0.08	0.41		0.24			
9/24/2004	0.058	0.006	0.031													
9/18/2004	0.111	0.007	0.276													
9/12/2004	0.055	0.007	0.06													
9/6/2004	0.228	0.017	0.13													
8/31/2004	0.159	0.016	0.07		0.322	0.100	0.441									
8/25/2004	0.517	0.348	1.1													
8/19/2004	0.067	0.034	0.373													
8/13/2004	0.102	0.006	0.096													
8/7/2004	0.017	0.007	0.021													
8/1/2004	1.07	0.186	0.983													
7/26/2004	0.024	0.009	0.02		0.285	0.136	0.521									
7/20/2004	0.276	0.076	0.254													
7/14/2004	0.439	0.073	0.331													
7/8/2004	0.253	0.216	0.979													
7/2/2004	0.435	0.307	1.02													
6/26/2004	0.01	0.009	0.075		0.083	0.062	0.358		0.14	0.13	0.59		0.14			

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
6/20/2004	0.071	0.009	0.1													
6/14/2004	0.228	0.085	0.828													
6/8/2004	0.01	0.015	0.336													
6/2/2004	0.098	0.191	0.453													
5/27/2004	0.32	0.407	0.235		0.128	0.145	0.667									
5/21/2004	0.069	0.293	1.9													
5/15/2004	PF	0.009	0.137													
5/9/2004	0.057	0.009	0.955													
5/3/2004	0.066	0.009	0.108													
4/27/2004	0.28	0.068	0.237		0.218	0.173	0.752									
4/21/2004	0.149	0.23	1.44													
4/15/2004	0.267	ID	1.71													
4/9/2004	0.375	0.384	0.325													
4/3/2004	0.021	0.009	0.05													
3/28/2004	0.057	0.437	0.614		0.076	0.128	0.418		0.08	0.06	0.32		0.08			
3/22/2004	0.082	0.009	0.203													
3/16/2004	0.026	0.009	0.009													
3/10/2004	0.067	0.009	0.489													
3/4/2004	0.146	0.177	0.777													
2/27/2004	0.131	0.024	0.465		0.072	0.013	0.141									
2/21/2004	0.079	MM	0.151													
2/15/2004	0.046	0.009	0.024													
2/9/2004	0.01	0.009	0.037													
2/3/2004	0.092	0.009	0.027													
1/28/2004	0.085	0.093	1.02		0.097	0.051	0.394									
1/22/2004	0.154	STOL	0.419													
1/16/2004	0.01	0.009	0.033													
1/4/2004	0.14	STOL	0.102													
12/23/2003	0.134	0.132	0.846		0.260	0.111	1.223		0.26	0.13	0.75		0.26			

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
1/3/2003	0.432	0.244	0.847													
12/28/2002	0.248	0.589	1.24		0.201	0.197	0.346									
12/22/2002	0.103	0.008	0.067													
12/16/2002	0.616	0.369	0.375													
12/10/2002	0.03	0.009	0.038													
12/4/2002	0.009	0.008	0.01													
11/28/2002	0.224	0.387	0.419		0.165	0.118	0.175									
11/22/2002	0.159	0.023	0.062													
11/16/2002	0.068	0.137	0.303													
11/10/2002	0.334	0.034	0.057													
11/4/2002	0.039	0.009	0.034													

- Non-ambient data, by legal definition.
- Data is not valid due to not meeting data completion criteria set by the EPA
- The top value is the month average value and the bottom value is with the adjusted value based on data completion test.
- Current nonattainment area highest design value
- Date from primary monitor is unavailable, data from a collocated monitor is being used as the daily value
- Analyte Identified; Reported Value outside of acceptance criteria.

BW	Bad weather
C/R	Construction/Repair in Area
FD	Filter damaged
ID	Insufficient data
LIT	Lost or damaged in transit
MM	Machine Malfunction
PF	Power Failure
SFROL	Sample flow rate out of limits
STOL	Sample time out of limits
TA	Technician unavailable

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				

|

