

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
4/11/2014	0.00667	0.00527	0.0236	0.00287										5.1/9.7	South	4/11/2014
4/5/2014	0.00319	0.00453	0.00426	0.00286										3.1/9.0	Northeast-east	4/5/2014
3/30/2014	0.00457	0.01055	0.01893	0.0039	0.012	0.035	0.018	0.008	0.01	0.02	0.02	0.01	0.02	3.1/9.6	South-Southeast	3/30/2014
3/24/2014	0.00429	0.00723	0.01986	0.00323										0.6/6.2	Variable	3/24/2014
3/18/2014	0.01928	0.147	0.03721	0.00833					Design Value is below the 0.15 µg/m3 standard					3.9/15.1	South-Southeast	3/18/2014
3/12/2014	0.0244	0.00351	0.00594	0.01943										1.8/15.2	North	3/12/2014
3/6/2014	0.00782	0.00521	0.0086	0.00477										2.3/9.3	North	3/6/2014
2/28/2014	MM	0.00507	0.06283	0.0052	0.005	0.007	0.022	0.004	0.01	0.01	0.02	0.01	0.02	4.6/12.7	South	2/28/2014
2/22/2014	0.00877	0.01472	0.02622	0.00511										1.6/11.4	South	2/22/2014
2/16/2014	0.00389	0.0056	0.01277	0.00369										1.8/9.1	East-southeast	2/16/2014
2/10/2014	0.0027	0.00373	0.00512	0.00298										7.2/10.5	North	2/10/2014
2/4/2014	0.00431	0.00349	0.00394	0.00216										2.0/9.2	Variable	2/4/2014
1/29/2014	0.00963	0.00765	0.05795	0.00402	0.009	0.005	0.016	0.009	0.01	0.01	0.02	0.01	0.02	0.6/7.5	Variable	1/29/2014
1/23/2014	0.00412	0.00508	0.00748	0.00302										11.4/15.8	North	1/23/2014
1/17/2014	0.00688	0.00469	0.00674	0.008										1.0/11.9	North	1/17/2014
1/11/2014	0.00533	0.00437	0.00534	0.00393										1.0/9.4	Variable	1/11/2014
1/5/2014	0.02135	0.00432	0.00462	0.0255										6.6/15.5	Northwest	1/5/2014
12/30/2013	0.00674	0.00849	0.0088	0.01464	0.010	0.009	0.013	0.007	0.01	0.01	0.03	0.00	0.03	3.2/9.2	Northwest	12/30/2013
12/24/2013	0.00403	0.00331	0.00764	0.00313										2.1/6.6	Southeast	12/24/2013
12/18/2013	0.02089	0.02418	0.03869	0.00665										1.4/9.0	Variable	12/18/2013
12/12/2013	0.01202	0.00559	0.00564	0.00827										0.7/6.2	North	12/12/2013
12/6/2013	0.00438	0.00503	0.00617	0.00383										6.9/14.3	North	12/6/2013
11/30/2013	0.00502	0.00742	0.00612	0.00418	0.003	0.005	0.026	0.003	0.01	0.00	0.03	0.00	0.03	0.9/9.6	South	11/30/2013
11/24/2013	0.00234	0.00388	0.00433	0.00245										3.5/10.4	North-northeast	11/24/2013
11/18/2013	0.00264	0.00504	0.09211	0.00302										3.9/8.5	North-northeast	11/18/2013
11/12/2013	0.00422	0.00382	0.00707	0.00601										3.0/14.5	North	11/12/2013
11/6/2013	0.00382	0.0027	0.00277	0.00218										1.2/11.2	North-northwest	11/6/2013
10/31/2013	0.01154	0.00345	0.00483	0.00181	0.007	0.004	0.042	0.004	0.01	0.01	0.04	0.01	0.04	1.0/12.3	Variable	10/31/2013
10/25/2013	0.00551	0.00526	0.17332	0.00542										2.1/7.1	Northeast	10/25/2013
10/19/2013	0.00617	0.00411	0.00641	0.0037										1.0/7.4	North-northwest	10/19/2013

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
10/13/2013	PF	0.0022	0.03423	0.00233										1.4/6.8	East	10/13/2013
10/7/2013	0.00425	0.00291	0.02864	0.00428										1.1/5.2	North	10/7/2013
10/1/2013	0.00768	0.00387	0.00604	0.00412										1.8/5.2	Northeast	10/1/2013
9/25/2013	0.00331	0.00504	0.02685	0.00354	0.005	0.005	0.026	0.004	0.02	0.01	0.04	0.01	0.04	1.0/5.2	Variable	9/25/2013
9/19/2013	0.00722	0.00706	0.01462	0.00327										1.7/6.5	Variable	9/19/2013
9/13/2013	0.00367	0.00293	0.06246	0.0025										1.3/7.5	Northeast	9/13/2013
9/7/2013	0.00756	0.00692	0.01357	0.004										2.0/6.6	Southeast	9/7/2013
9/1/2013	0.00561	0.00394	0.01033	0.00538										0.4/6.5	South	9/1/2013
8/26/2013	0.00421	0.00256	0.05417	0.0022	0.028	0.013	0.049	0.014	0.02	0.01	0.05	0.01	0.05	2.1/6.6	Southeast	8/26/2013
8/20/2013	0.00694	0.00682	0.0204	0.00483										1.5/5.5	South	8/20/2013
8/14/2013	0.00498	0.00316	0.0334	MM										3.3/7.3	Northeast	8/14/2013
8/8/2013	0.06512	0.02878	0.0583	0.0446										1.5/7.7	Southwest	8/8/2013
8/2/2013	0.05698	0.02549	0.07974	0.00279										3.0/8.3	South	8/2/2013
7/27/2013	0.00417	0.00351	0.03727	0.00201	0.021	0.016	0.035	0.003	0.02	0.01	0.05	0.03	0.05	1.9/7.5	Northeast	7/27/2013
7/21/2013	0.01819	0.01552	0.03694	0.00161										3.6/8.4	Southwest	7/21/2013
7/15/2013	0.00346	0.00306	0.00831	0.00202										0.9/5.5	Variable	7/15/2013
7/9/2013	0.07252	0.05513	0.08251	0.00467										2.7/9.0	Southwest	7/9/2013
7/3/2013	0.00558	0.00484	0.01121	0.00322										0.7/3.5	Variable	7/3/2013
6/27/2013	0.03874	0.0222	0.08192	0.00451	0.021	0.014	0.058	0.011	0.02	0.01	0.07	0.03	0.07	2.5/8.9	Southwest	6/27/2013
6/21/2013	0.01442	0.02167	0.07184	0.0051										4.6/9.9	South	6/21/2013
6/15/2013	0.0227	0.01242	0.05744	0.00613										0.6/6.7	Variable	6/15/2013
6/9/2013	0.01692	0.0038	0.03938	0.0295										0.4/6.7	Variable	6/9/2013
6/3/2013	0.01241	0.00909	0.0375	0.01049										2.8/7.1	Southeast	6/3/2013
5/28/2013	0.00727	0.01586	0.116	0.00366	0.027	0.012	0.057	0.065	0.02	0.01	0.06	0.07	0.07	6.3/13.2	Southeast	5/28/2013
5/22/2013	0.00585	0.00878	0.03523	0.00585										0.3/4.9	Variable	5/22/2013
5/16/2013	0.02572	0.02802	0.115	0.00339										2.5/10.8	Southeast	5/16/2013
5/10/2013	0.00613	0.00385	0.00995	0.00761										2.3/6.8	North	5/10/2013
5/4/2013	0.08798	0.00454	0.00637	0.30651										1.8/12.4	North	5/4/2013
4/28/2013	0.00418	0.00529	0.01578	0.00388	0.011	0.012	0.107	0.023	0.03	0.01	0.05	0.06	0.06	1.3/4.7	Variable	4/28/2013
4/22/2013	0.02336	0.01771	0.17773	0.00613										4.4/8.8	Southeast	4/22/2013

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
4/16/2013	0.01646	0.03065	0.32702	0.00616										6.3/11.1	Southeast	4/16/2013
4/10/2013	0.00558	0.00376	0.01155	0.0794										4.0/13.9	Northwest	4/10/2013
4/4/2013	0.00342	0.00373	0.00367	0.01974										1.3/10.1	Northwest	4/4/2013
3/29/2013	0.0215	0.04329	0.08091	0.00636	0.024	0.015	0.027	0.121	0.05	0.02	0.04	0.05	0.05	5.5/11.4	Southeast	3/29/2013
3/23/2013	0.00165	0.00075	0.00563	0.00574										2.0/11.0	Northeast	3/23/2013
3/17/2013	0.00934	0.01638	0.01819	0.00579										2.6/6.7	Variable	3/17/2013
3/11/2013	0.00461	0.00238	0.01574	0.39508										0.8/6.9	North	3/11/2013
3/5/2013	0.08301	0.0135	0.01641	0.19071										0.7/19.2	Northwest	3/5/2013
2/27/2013	0.19566	0.00347	0.00664	0.147	0.046	0.006	0.011	0.033	0.04	0.01	0.04	0.02	0.04	4.2/9.4	Northwest	2/27/2013
2/21/2013	0.01169	0.00281	0.00713	0.00476										1.4/15.5	Variable	2/21/2013
2/15/2013	0.00315	0.00482	0.00773	0.00601										0.6/10.4	North	2/15/2013
2/9/2013	0.00714	0.00666	0.01853	0.00429										6.0/10.7	East	2/9/2013
2/3/2013	0.00992	0.01135	0.01681	0.00364										0.3/6.7	Variable	2/3/2013
1/28/2013	0.0145	0.06112	0.25491	0.00421	0.069	0.024	0.072	0.008	0.05	0.02	0.08	0.03	0.08	5.8/13.7	South	1/28/2013
1/22/2013	0.04124	0.01391	0.04694	0.00863										1.7/6.7	Variable	1/22/2013
1/16/2013	0.0419	0.00723	0.01176	0.00677										0.3/4.0	Variable	1/16/2013
1/10/2013	0.19237	0.03102	0.01855	0.0028										4.0/12.3	Variable	1/10/2013
1/4/2013	0.05488	0.00896	0.02714	0.01656										0.2/4.2	Variable	1/4/2013
12/29/2012	0.01003	0.00461	0.00456	0.0506	0.019	0.007	0.027	0.029	0.07	0.04	0.20	0.05	0.20	0.3/5.4	Northeast	12/29/2012
12/23/2012	0.00861	0.005	0.00747	0.00446										2.0/9.0	Variable	12/23/2012
12/17/2012	0.03353	0.00771	0.01438	0.05229										0.1/5.3	Variable	12/17/2012
12/11/2012	0.02953	0.00954	0.06145	0.01563										1.5/5.9	Variable	12/11/2012
12/5/2012	0.01426	0.00604	0.04617	0.02176										0.7/6.1	North-northeast	12/5/2012
11/29/2012	0.063	0.03285	0.19214	0.00872	0.075	0.034	0.142	0.039	0.09	0.06	0.26	0.05	0.26	3.6/9.4	Southeast	11/29/2012
11/23/2012	0.0091	0.0141	0.02738	0.00495										0.7/12.9	North	11/23/2012
11/17/2012	0.02009	0.01018	0.1167	0.00991										1.3/5.4	East-southeast	11/17/2012
11/11/2012	0.0582	0.1021	0.35958	0.0341										3.5/13.1	Variable	11/11/2012
11/5/2012	0.22449	0.01173	0.01644	0.13933										0.5/10.0	Variable	11/5/2012
10/30/2012	0.19973	0.19101	0.14143	0.01043	0.117	0.084	0.418	0.094	0.12	0.08	0.31	0.05	0.31	0.5/6.0	Variable	10/30/2012
10/24/2012	0.1359	0.06934	1.39601	0.02048										5.4/11.5	Southeast	10/24/2012

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
10/18/2012	0.04817	0.01637	0.04125	0.42313										0.8/7.1	North-northwest	10/18/2012
10/12/2012	0.19787	0.13667	0.50101	0.00722										4.8/9.1	Southeast	10/12/2012
10/6/2012	0.00543	0.00764	0.00799	0.00782										6.1/8.5	Northeast	10/6/2012
9/30/2012	0.00522	0.01063	0.01971	0.02205	0.070	0.053	0.215	0.031	0.11	0.07	0.22	0.03	0.22	0.4/9.8	North-northeast	9/30/2012
9/24/2012	0.17239	0.20846	0.66346	MM										3.3/10.8	South	9/24/2012
9/18/2012	0.00429	0.00239	0.03238	0.02132										2.1/8.8	North-northeast	9/18/2012
9/12/2012	0.07239	0.0073	0.2608	0.00685										2.3/6.9	Southeast	9/12/2012
9/6/2012	0.09607	0.03738	0.09689	0.07552										1.1/4.3	Variable	9/6/2012
8/31/2012	0.46245	0.01251	0.07275	0.0449	0.164	0.088	0.305	0.039	0.11	0.06	0.20	0.02	0.20	0.7/6.7	Variable	8/31/2012
8/25/2012	0.04068	0.0157	0.83819	0.0039										6.6/10.8	Southeast	8/25/2012
8/19/2012	0.03184	MM	0.00617	0.1222										0.6/6.8	Variable	8/19/2012
8/13/2012	MM	0.03736	0.0535	0.0404										1.5/8.4	Variable	8/13/2012
8/7/2012	0.11959	0.1109	0.30004	0.02007										1.1/5.2	Variable	8/7/2012
8/1/2012	MM	0.26293	0.55865	0.00522										4.6/8.8	South	8/1/2012
7/26/2012	0.1976	0.18549	0.17837	0.03845	0.105	0.067	0.129	0.011	0.06	0.04	0.15	0.01	0.15	1.6/9.3	Variable	7/26/2012
7/20/2012	0.16252	0.08118	0.05144	0.00367										0.6/11.2	Soutwest	7/20/2012
7/14/2012	0.00923	0.00661	0.02613	0.00351										0.9/11.5	Variable	7/14/2012
7/8/2012	0.02111	0.00577	0.04674	0.00434										0.5/8.3	East-southeast	7/8/2012
7/2/2012	0.13274	0.05539	0.34375	0.0042										4.7/8.9	South	7/2/2012
6/26/2012	0.01676	0.03779	0.03571	0.03977	0.048	0.016	0.173	0.012	0.04	0.04	0.18	0.02	0.18	0.5/6.8	Variable	6/26/2012
6/20/2012	0.08162	0.0074	0.4401	0.0044										5.4/10.0	Southeast	6/20/2012
6/14/2012	0.08263	0.0127	0.20537	0.0031										4.1/8.9	Southeast	6/14/2012
6/8/2012	0.00935	0.00464	0.01258	0.00668										1.4/6.7	Northeast-east	6/8/2012
6/2/2012	0.04919	PF	PF	0.00418										No data	No data	6/2/2012
5/27/2012	0.02685	0.03183	0.23672	0.00343	0.032	0.030	0.161	0.013	0.06	0.05	0.20	0.01	0.20	4.4/11.1	Southeast	5/27/2012
5/21/2012	0.01326	0.00556	0.01404	0.02315										1.2/6.0	North-northeast	5/21/2012
5/15/2012	0.00847	0.00599	0.01407	0.02054										0.4/6.1	Northeast-east	5/15/2012
5/9/2012	0.00625	0.01087	0.04148	0.01321										2.0/7.5	Northeast	5/9/2012
5/3/2012	0.10651	0.09622	0.49857	0.0037										4.4/10.2	South-Southeast	5/3/2012
4/27/2012	0.07161	0.17022	0.62686	0.00684	0.048	0.063	0.199	0.024	0.07	0.06	0.22	0.02	0.22	5.8/15.0	Southeast	4/27/2012

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
4/21/2012	0.00719	0.0031	0.00508	0.07879										1.1/7.0	North	4/21/2012
4/15/2012	0.08641	0.12689	0.32381	0.01206										2.3/14.5	South	4/15/2012
4/9/2012	0.06355	0.01038	0.02676	0.00803										1.8/7.4	East-southeast	4/9/2012
4/3/2012	0.00997	0.00406	0.01428	0.01457										4.1/10.4	Variable	4/3/2012
3/28/2012	0.0546	0.03969	0.41533	0.00608	0.106	0.050	0.252	0.008	0.07	0.06	0.19	0.02	0.19	2.9/6.6	South-Southeast	3/28/2012
3/22/2012	0.04496	0.03145	0.20995	0.01727										1.1/11.1	Variable	3/22/2012
3/16/2012	0.0421	0.09089	0.50504	0.00371										6.6/13.0	Southeast	3/16/2012
3/10/2012	0.00644	0.00688	0.03224	0.00597										1.8/8.9	East-northeast	3/10/2012
3/4/2012	0.3808	0.07952	0.09534	0.00482										0.5/9.8	Variable	3/4/2012
2/27/2012	0.02905	0.00586	0.07581	0.00773	0.060	0.055	0.195	0.018	0.05	0.05	0.13	0.03	0.13	2.9/9.9	East	2/27/2012
2/21/2012	0.11956	0.2025	0.33965	0.0133										0.7/13.0	Variable	2/21/2012
2/15/2012	0.08357	0.03318	0.05937	0.05089										0.9/9.7	Variable	2/15/2012
2/9/2012	0.03742	0.00806	0.23495	0.00935										2.3/6.9	East	2/9/2012
2/3/2012	0.03101	0.02539	0.26569	0.00937										4.7/10.6	Southeast	2/3/2012
1/28/2012	0.00269	0.00432	0.02767	0.00477	0.055	0.073	0.112	0.028	0.05	0.07	0.13	0.05	0.13	1.2/8.7	North-northeast	1/28/2012
1/22/2012	0.18306	0.08667	0.09519	0.02967										6.8/15.1	Variable	1/22/2012
1/16/2012	0.01781	0.21904	0.20621	0.0073										9.3/14.9	South	1/16/2012
1/10/2012	0.00537	0.0054	0.00526	0.02392										1.4/9.8	North-northwest	1/10/2012
1/4/2012	0.06804	0.04932	0.22518	0.07455										0.9/8.1	Variable	1/4/2012
12/29/2011	0.10668	0.09857	0.30241	0.06529	0.033	0.025	0.086	0.040	0.06	0.06	0.14	0.08	0.14	0.3/8.4	South-Southeast	12/29/2011
12/23/2011	0.00203	0.00296	0.00286	0.01374										2.6/11.7	North	12/23/2011
12/17/2011	0.04407	0.00934	0.1099	0.10232										No data	No data	12/17/2011
12/11/2011	0.00804	0.00901	0.01127	0.00445										No data	No data	12/11/2011
12/5/2011	0.0031	0.00318	0.00452	0.01613										No data	No data	12/5/2011
11/29/2011	0.01939	0.00365	0.00395	0.19939	0.060	0.114	0.205	0.083	0.07	0.07	0.16	0.07	0.16	0.3/10.6	North	11/29/2011
11/23/2011	0.04056	0.02483	0.04905	0.10992										0.2/4.3	Variable	11/23/2011
11/17/2011	0.0253	0.00822	0.02708	0.09094	Collocated monitor installed at Eubanks									1.1/6.1	Variable	11/17/2011
11/11/2011	0.15586	0.52694	0.8271	0.00548										4.2/11.9	South	11/11/2011
11/5/2011	MM	0.0054	0.11847	0.00822										5.5/11.3	Southeast	11/5/2011
10/30/2011	MM	0.06483	0.15467	0.04187	0.093	0.044	0.142	0.120	0.13	0.10	0.20	0.05	0.20	0.1/10.4	Variable	10/30/2011

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
5/19/2009	0.163	0.004	0.052													
5/13/2009	0.169	0.204	1.51													
5/7/2009	0.05	0.158	0.746													
5/1/2009	PF	0.154	0.661													
4/25/2009	PF	0.024	1.24		0.184	0.030	0.516		0.20	0.10	0.58		0.20			
4/19/2009	PF	0.006	0.075													
4/13/2009	0.065	0.012	0.124													
4/7/2009	0.438	0.082	0.237													
4/1/2009	0.049	0.024	0.906													
3/26/2009	0.066	0.008	0.33		0.187	0.092	0.610		0.25	0.12	0.49		0.25			
3/20/2009	0.086	0.013	0.37													
3/14/2009	0.026	0.007	0.082													
3/8/2009	0.509	0.345	1.18													
3/2/2009	0.249	0.087	1.09													
2/24/2009	0.18	0.061	1.06		0.224	0.169	0.618		0.25	0.15	0.59		0.25			
2/18/2009	0.537	0.552	0.59													
2/12/2009	0.111	0.015	0.237													
2/6/2009	0.069	0.049	0.583													
1/31/2009	0.092	0.021	0.304		0.349	0.102	0.244		0.27	0.12	0.65		0.27			
1/25/2009	0.222	0.413	0.683													
1/19/2009	0.033	0.019	0.105		The change to the standard became effective at the first of 2009											
1/13/2009	0.371	0.013	0.077													
1/7/2009	0.085	0.035	0.049													
1/1/2009	1.29	0.112	0.248													
12/26/2008	0.069	0.229	1.7		0.183	0.181	0.904		0.22	0.10	0.73		0.22			
12/20/2008	0.522	0.075	0.105													
12/14/2008	0.21	0.497	0.784													
12/8/2008	0.039	0.045	0.531													
12/2/2008	0.073	0.059	1.4													
11/26/2008	0.839	PF	2.14		0.274	0.084	0.792		0.19	0.05	0.49		0.19			

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
11/20/2008	0.121	0.195	0.272													
11/14/2008	0.084	0.017	0.1													
11/8/2008	0.118	0.044	0.388													
11/2/2008	0.207	0.078	1.06													
10/27/2008	0.066	0.01	0.074		0.190	0.028	0.505		0.20	0.06	0.45		0.20			
10/21/2008	0.359	0.068	1.27													
10/15/2008	0.205	0.021	0.224													
10/9/2008	0.135	0.02	0.566													
10/3/2008	0.186	0.019	0.392													
9/27/2008	0.15	0.17	0.182		0.114	0.040	0.184		0.24	0.14	0.65		0.24			
9/21/2008	0.077	0.005	0.153													
9/15/2008	0.115	0.008	0.321													
9/9/2008	0.133	0.012	0.225													
9/3/2008	0.093	0.007	0.038													
8/28/2008	0.891	0.19	1.12		0.300	0.102	0.673		0.26	0.16	0.97		0.26			
8/22/2008	0.346	0.14	0.982													
8/16/2008	0.018	0.006	0.019													
8/10/2008	0.137	0.096	0.897													
8/4/2008	0.108	0.077	0.348													
7/29/2008	0.287	0.183	0.762		0.314	0.287	1.101		0.23	0.17	1.26		0.23			
7/23/2008	0.105	0.044	0.764													
7/17/2008	0.203	0.072	0.854													
7/11/2008	0.386	0.713	2.28													
7/5/2008	0.589	0.424	0.844													
6/29/2008	0.08	0.017	0.275		0.164	0.081	1.121		0.16	0.10	1.19		0.16			
6/23/2008	0.284	0.132	0.751													
6/17/2008	0.064	0.012	0.109													
6/11/2008	0.21	0.102	1.05													
6/5/2008	0.181	0.14	3.42													
5/30/2008	0.217	0.178	1.94		0.225	0.136	1.564		0.17	0.16	1.09		0.17			

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
12/4/2002	0.009	0.008	0.01													
11/28/2002	0.224	0.387	0.419		0.165	0.118	0.175									
11/22/2002	0.159	0.023	0.062													
11/16/2002	0.068	0.137	0.303													
11/10/2002	0.334	0.034	0.057													
11/4/2002	0.039	0.009	0.034													

- Non-ambient data, by legal definition.
- Data is not valid due to not meeting data completion criteria set by the EPA
- The top value is the month average value and the bottom value is with the adjusted value based on data completion test.
- Current nonattainment area highest design value
- Date from primary monitor is unavailable, data from a collocated monitor is being used as the daily value
- Analyte Identified; Reported Value outside of acceptance criteria.

BW	Bad weather
C/R	Construction/Repair in Area
FD	Filter damaged
ID	Insufficient data
LIT	Lost or damaged in transit
MM	Machine Malfunction
PF	Power Failure
SFROL	Sample flow rate out of limits
STOL	Sample time out of limits
TA	Technician unavailable

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				